



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (APOLLO ADD UW1)

1-PROUDUCT AND COMPANY IDENTIFICATION

Product Name:	Apollo Add UW1.
Chemical Family:	Hydrogen free Expansive and plasticising grout admixture.
Manufacturer:	Apollo For Construction Chemicals P.O. Box 1117, Amman 11118 Jordan Tel. + 962 6 5338891 Fax: + 962 6 5338829 Email: Saels@nasaccc.com Website: www.nasaccc.com
Date Prepared:	01.07.2023
MSDS Number:	Nasa/03/06/122

2- COMPOSITION /INFORMATION ON INGREDIENTS

Composition: Silica sand, additives.

Hazardous Ingredient(s)	Symbol	Risk Phrases	CAS No.	%
Sodium salt of poly-naphthalene				
Sulphonic acid	-	R36/37/38	36290-04-7	45 - 60
Hydrazine sulphate	T, C, N	R23/24/25, 34, 43, R45, 50/53	10034-93-2	10 - 18
Copper carbonate	Xn	R22, 36	1184-64-1	5 - 10

Refer to Section 8 for Occupational Exposure Limits.



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (APOLLO ADD UW1)

3-HAZARD INFORMATION

Hazard Information:	Harmful if swallowed. Toxic by inhalation, in contact with skin and if swallowed. Causes burns. Irritating to eyes, skin and respiratory system. May cause sensitization by skin contact. May cause cancer. Very toxic to aquatic organism, may cause long-term affects in the aquatic environment.
Classification:	Xn, T, C, N. R22, 23/24/25, 34, 36/37/38, 43, 45, 50/53.

4-FIRST AID MEASURES

Eyes:	Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if necessary.
Skin:	Remove contaminated clothing immediately. Wash immediately with copious quantities of water. Obtain medical advice if skin disorders develop.
Inhalation:	Remove from dust contaminated zone; obtain medical attention for any breathing difficulty.
Ingestion:	Wash out mouth with water. Obtain medical attention if large amount were swallowed.

5-FIRE FIGHTING MEASURES

Flash Point (Closed Cup):	Not applicable.
Extinguishing Media:	Carbon dioxide, powder, foam or water.
Personal Protective Equipment:	Self-contained breathing apparatus.
Special Exposure Hazards:	Products of combustion are: Sulfur oxides (SO ₂ , SO ₃) and Carbon oxides (CO,CO ₂).



شركة أبولو لكيمائيات الأبنية Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (APOLLO ADD UW1)

6- ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing, gloves, eye/face protection and dust respirator. Avoid generation and inhalation of dusts in all circumstances.
Environmental Precautions:	Do not allow to enter drainage system, surface or ground water.
Danger	to drinking water if even small quantities leak into soil.
Decontamination Procedures:	Use a shovel to put the spilled solid in a convenient waste disposal container. Avoid dust generation.

7- HANDLING AND STORAGE

Handling:	Maintain good standards of personal hygiene. Avoid skin and eye contact. Do not eat, drink or smoke whilst using this product. Ensure adequate ventilation. Wear suitable respiratory equipment. Avoid dust generation.
Storage:	Keep containers tightly closed, keep in a cool, well-ventilated place. Avoid contact with strong oxidizing agents.

8-EXPOSURE CONTROLS AND PERSONAL PROTECTION

Eye Protection:	Tightly sealed safety glasses or face shield.
Skin Protection:	Impervious gloves (e.g. PVC). Suitable protective clothing.
Respiratory Protection:	Organic chemical cartridge respirator.
Hygiene Measures:	Change contaminated clothing and clean before re-use.
Engineering Controls:	Use only in well ventilated areas. Local exhaust ventilation is recommended.

9-PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Color:	Brown
Odour:	odourless
PH (concentrate):	Not applicable
Flash Point (Closed up)(°C):	None



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (APOLLO ADD UW1)

Boiling Point (°C):	Not applicable
Autoflammability(°C):	Not determined
Water Solubility:	Can be mixed with water.
Explosive Properties:	Can form explosive dust cloud.
Relative Density (@25°C):	1.90 – 2.1.

10- STABILITY AND REACTIVITY

Stability:	Stable in normal conditions.
Conditions to Avoid:	Strong Heating.
Chemical Incompatibility:	Strong oxidizing agents, Metallic Oxides, Mercury Compounds,
Hazardous Decomposition Products:	Thermal decomposition yield oxides of carbon, toxic fumes, refer to section 5.

11-TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Acute Oral effect LD50 = 600 mg/kg.

Health Effects

On Eyes:	Irritant.
On Skin:	Irritant.
By Inhalation:	Irritant.
By Ingestion:	Irritant.
Chronic:	Repeated and prolonged skin contact may lead to toxic effect on: Kidneys, liver.

12- ECOLOGICAL INFORMATION

Environmental Assessment:	Contains compounds that are dangerous for the environment.
Mobility:	Powder.
Degradability:	Not readily biodegradable.
Bioaccumulation:	Not expected to be bioaccumulate.
Acute Fish Toxicity:	Ecotoxic to fish/ daphnia/ algae.



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (APOLLO ADD UW1)

13- DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Dispose off through an authorized waste contractor to a licensed site.

Used/ Contaminated Product: As for unused product.

Packaging: Must be disposed off through an authorized waste contractor.

14- TRANSPORT INFORMATION



UN Number: 3288

Transport Name: Toxic solid, inorganic, n.o.s. (Hydrazine sulphate).

Transport Type:		Class:	Pack Group:	Marine Pollutant
At Sea	IMO/IMDG	6.1	III	Yes
Air Transport	IATA	6.1	III	
At land	RID/ADR	6.1	III	



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (APOLLO ADD UW1)

15- REGULATORY INFORMATION

Hazard Label Data:

Xn N T C



Harmful



Dangerous for
environment



Toxic



Corrosive the

Named Ingredients:

Sodium salt of poly-naphthalene sulphonic acid, hydrazine sulphate,
copper carbonate.

UN Number:

3288

Risk Phrases:

R22 Harmful if swallowed.
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
R34 Causes burns.
R36/37/38 Irritating to eyes, skin and respiratory system.
R43 May cause sensitization by skin contact.
R45 May cause cancer.
R50/53 Very toxic to aquatic organism, may cause long-term effects in
the aquatic environment.

Safety Phrases:

S24/25 Avoid contact with skin and eyes.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protector.
S45 In case of accident or if you feel unwell seek medical advice immediately.
S53 Avoid exposure - obtain special instructions before use.



شركة أبولو لكيماويات الأبنية Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (APOLLO ADD UW1)

16- OTHER INFORMATION

Issue Date: 20/07/2023

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.