



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (Apollo Bituproof RBE520)

01-PROUDUCT AND COMPANY IDENTIFICATION

| | |
|-------------------------|---|
| Product Name: | Apollo Bituproof RBE520 |
| Chemical Family: | Water based elastomeric rubberized bitumen waterproof coating. |
| Manufacturer: | Apollo For Construction Chemicals P.O. Box 1117, Amman 11118 Jordan Tel. + 962 6 5338891 Fax: + 962 6 5338829 Email: Saels@nasaccc.com Website: www.nasaccc.com |
| Date Prepared: | 01.07.2023 |
| MSDS Number: | Nasa/08/56/103 |

2- COMPOSITION /INFORMATION ON INGREDIENTS

| | | | | |
|---------------------------------|------------------------------|--------------|------------|----|
| Composition : | rubberized bitumen emulsion. | | | |
| Hazardous Ingredient(s): | Symbol | Risk Phrases | CAS No. | % |
| bitumen | | | 64742-93-4 | 60 |

Refer to Section 8 for Occupational Exposure Limits.

3-HAZARD INFORMATION

Long term skin contact may cause health problems.



شركة أبولو لكيمائيات الأبنية Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (Apollo Bituproof RBE520)

4-FIRST AID MEASURES

| | |
|-------------------|--|
| Eyes: | Irrigate immediately with copious quantities of water for several minutes. Obtain medical attention if necessary. |
| Skin: | Wash thoroughly with soap and water or suitable skin cleanser as soon as possible. |
| Inhalation | Remove from exposure – unlikely to occur. |
| Ingestion: | Wash out mouth with water. Obtain medical attention. Do not induce vomiting. |

5-FIRE FIGHTING MEASURES

| | |
|---------------------------------------|---------------------------|
| Flash point: | None. |
| Lower explosive limit: | None. |
| Extinguishing media: | Same as surrounding fire. |
| Personal protective equipment: | None. |

6- ACCIDENTAL RELEASE MEASURES

| | |
|------------------------------------|--|
| Personal Precautions: | Wear rubber boots in addition to the recommended protective clothing. |
| Environmental Precautions: | Prevent entry into drains, sewers and water courses. |
| Decontamination Procedures: | Soak up with inert absorbent like sand and remove by best available means. Gather into containers. Dispose off as waste. |

7- HANDLING AND STORAGE

| | |
|------------------|---|
| Handling: | Avoid skin and eye contact. |
| Storage: | Store in cool and dry area, protect from frost. |



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (Apollo Bituproof RBE520)

8-EXPOSURE CONTROLS AND PERSONAL PROTECTION

| | |
|------------------------------|---|
| Ingestion: | Prevent eating, drinking or smoking in the area of product use. |
| Eye contact: | Safety glasses/goggles. |
| Skin contact: | Impervious gloves (e.g. PVC). |
| Engineering controls: | No specific ventilation requirement noted. |
| Exposure Guidelines: | None assigned. |

9-PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------------------------|-----------------|
| Form: | Liquid. |
| Color: | Black. |
| Odor: | Typical . |
| PH (concentrate): | 9-10 |
| Boiling Point (°C): | 100 °C |
| Flash Point (closed cup) (°C): | None. |
| Autoflammability (°C): | Not determined. |
| Water Solubility: | Emulsifiable. |
| Explosive Properties (%): | Not known |
| Vapor Pressure (KPa @20°C): | 2.3 (water) |
| Relative Density (@25°C): | 1.06 – 1.10 |



شركة أبولو لكيمائيات الأبنية

Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (Apollo Bituproof RBE520)

10- STABILITY AND REACTIVITY

| | |
|--|--|
| Stability: | Stable. |
| Conditions to Avoid: | Temperature below 2°C and above 80°C. |
| Chemical incompatibility: | Strong acids. |
| Hazardous Decomposition Products: | Thermal decomposition may yield Sulfur compounds including hydrogen sulfide. |

11-TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat > 2 mg/kg.

Health Effects

| | |
|-----------------------|--|
| On Eyes: | Irritation. |
| On Skin: | Unlikely to irritate on brief occasional exposure. |
| By Inhalation: | Low volatility makes inhalation unlikely at ambient temperatures. |
| By Ingestion: | Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract. |
| Chronic: | Repeated and prolonged contact, allied to poor personal hygiene practices may result in skin cancer. |



شركة أبولو لكيمائيات الأبنية Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (Apollo Bituproof RBE520)

12- ECOLOGICAL INFORMATION

| | |
|----------------------------------|--|
| Environmental Assessment: | When used and disposed off as intended, no adverse environmental effects are foreseen. |
| Mobility: | Mobile liquid. Emulsifiable in water. |
| Degradability: | Inherently biodegradable. |
| Bioaccumulation: | Not expected to be bioaccumulative. |
| Acute Fish Toxicity: | Ecotoxic to fish/ daphnia/ algae. |

13- DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

| | |
|------------------------------------|---|
| Unused Product: | Dispose off through an authorized waste contractor to a licensed site. Do not empty into drains, sewers or water courses. |
| Used/ Contaminated Product: | As for unused product. |
| Packaging: | May be steam cleaned and recycled. |

14- TRANSPORT INFORMATION

This product is NOT classified as dangerous for transport.



شركة أبولو لكيمائيات الأبنية Apollo For Construction Chemicals

MATREIAL SAFETY DATA SHEET (Apollo Bituproof RBE520)

15- REGULATORY INFORMATION

This product is NOT classified as dangerous for transport.

Safety Phrases:

S24/25

Avoid contact with skin and eyes.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16- OTHER INFORMATION

Issue Date: 20/07/2023

Disclaimer: The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.