



# شركة أبولو لكيمائيات الأبنية

## Apollo For Construction Chemicals

### MATREIAL SAFETY DATA SHEET (NASA PROOF W210)

#### 01-PROUDUCT AND COMPANY IDENTIFICATION

**Product Name:** NASA Proof W210."Liqued"  
**Chemical Family:** Solvent based acrylic floor coating Liquid component of two parts elastomeric cementitious coating.  
**Manufacturer:** **Apollo For Construction Chemicals**  
P.O. Box 1117, Amman 11118 Jordan  
Tel. + 962 6 5338891  
Fax: + 962 6 5338829  
Email: [Saels@nasaccc.com](mailto:Saels@nasaccc.com)  
Website: [www.nasaccc.com](http://www.nasaccc.com)

**Date Prepared:** 01.07.2023  
**MSDS Number:** Nasa/03/42/75

#### 2- COMPOSITION /INFORMATION ON INGREDIENTS

**Composition:** Acrylic copolymer, water.  
**Hazardous Ingredient(s):** None of the ingredients of this product are classified as hazardous.  
**Refer to Section 8 for Occupational Exposure Limits.**

#### 3-HAZARD INFORMATION

No significant hazard.

#### 4-FIRST AID MEASURES

**Eyes:** Irrigate immediately with copious quantities of water for 15 minutes. Obtain medical attention if irritation persists.  
**Skin** Wash thoroughly with soap and water or suitable skin cleanser as soon as Possible.  
**Inhalation** Remove from exposure – unlikely to occur.  
**Ingestion:** Wash out mouth with water. Don't induce vomiting. Obtain medical attention.



# شركة أبولو لكيمائيات الأبنية

## Apollo For Construction Chemicals

### MATREIAL SAFETY DATA SHEET (NASA PROOF W210)

#### 5-FIRE FIGHTING MEASURES

<b>Flash point:</b>	None.
<b>Lower explosive limit:</b>	Material can splatter above 100°C. Polymer film can burn. Irritant fumes.
<b>Extinguishing media:</b>	Carbon dioxide, powder, foam or water fog – Do not use water jets.
<b>Personal protective equipment:</b>	Self-contained breathing apparatus.

#### 6- ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Wear suitable protective clothing, gloves and eye/face protection.
<b>Environmental Precautions:</b>	Prevent entry into drains, sewers and water courses.
<b>Decontamination Procedures:</b>	Soak up with inert absorbent or container and remove by best available means. Gather into containers.

#### 7- HANDLING AND STORAGE

<b>Handling:</b>	Avoid skin and eye contact.
<b>Storage:</b>	Store in cool and dry area. Protect from frost.

#### 8-EXPOSURE CONTROLS AND PERSONAL PROTECTION

<b>Ingestion:</b>	Prevent eating, drinking or smoking in the area of productuse.
<b>Respiratory protection:</b>	In case of insufficient ventilation wear suitable equipment. Change contaminated clothing and clean before re-use.
<b>Engineering controls:</b>	No specific ventilation requirement noted
<b>Exposure guidelines:</b>	None assigned.

#### 9-PHYSICAL AND CHEMICAL PROPERTIES

<b>Form:</b>	Liquid.
<b>Color:</b>	white.
<b>Odor:</b>	Acrylic.
<b>PH (concentrate):</b>	7.0-9.0.
<b>Boiling Point (°C):</b>	100 °C.
<b>Flash Point (closed cup) (°C):</b>	None.



# شركة أبولو لكيمائيات الأبنية

## Apollo For Construction Chemicals

Autoflammability (°C):

Not determined.



# شركة أبولو لكيماويات الأبنية

## Apollo For Construction Chemicals

### MATREIAL SAFETY DATA SHEET (NASA PROOF W210)

Water Solubility:	Not known.
Vapor Pressure (KPa @20°C):	2.3(water).
Relative Density (@25°C):	1.025.
Water Solubility:	Emulsifiable.

#### 10- STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to Avoid:	Temperature below 2(°C).
Chemical incompatibility:	None known.
Hazardous Decomposition Products:	Thermal decomposition may yield acrylic monomers.

#### 11-TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Expected oral LD50, rat >2000mg/kg.

##### Health Effects

On Eyes:	May cause transient irritation.
On Skin:	Unlikely to irritate on brief occasional exposure.
By Inhalation:	Low volatility makes inhalation unlikely at ambient temperatures
By Ingestion:	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

#### 12- ECOLOGICAL INFORMATION

Environmental Assessment:	When used and disposed off as intended, no adverse environmental effects are foreseen.
Mobility:	Mobile liquid. Emulsifiable in water.
Degradability:	Inherently biodegradable.
Bioaccumulation:	Not expected to be bioaccumulative.
Acute fish toxicity:	Not expected to be ecotoxic to fish/daphnia/algae.



# شركة أبولو لكيمائيات الأبنية Apollo For Construction Chemicals

## MATREIAL SAFETY DATA SHEET (NASA PROOF W210)

### 13- DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

**Unused Product:** Dispose off in an approved manner. Small quantities maybe mixed With water, allowed to harden and dispose of as low hazard waste.

**Used/ Contaminated Product:** As for unused product.

**Packaging:** The method of disposal must be acceptable to the local authority.

### 14- TRANSPORT INFORMATION

This product is NOT classified as dangerous for transport.

### 15- REGULATORY INFORMATION

Hazard Label Data:



Irritant

**Named Ingredients:** Cement powders

**Symbol (s):** Xi

**Risk Phrases:** R36/37/38 Irritating to eyes, skin and respiratory system.

**Safety Phrases:** S22 Do not breathe dust.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.



# شركة أبولو لكيمائيات الأبنية Apollo For Construction Chemicals

## MATREIAL SAFETY DATA SHEET (NASA PROOF W210)

### 16- OTHER INFORMATION

<b>Issue Date:</b>	20/07/2023
<b>Disclaimer:</b>	The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.